

ZATHURA

Section: User Commands (1)

Updated: zathura-0.0.8.3

[Index Return to Main Contents](#)

NAME

zathura - a PDF viewer

SYNOPSIS

zathura [-e *xid*] [-c *path*] [-d *path*] [*file*] [*password*]

DESCRIPTION

zathura is a highly customizable and functional PDF viewer based on the poppler rendering library and the GTK+ toolkit. zathura provides a minimalistic and space saving interface, with a focus on keyboard interaction.

If instead of a filename - is specified on the command line, zathura tries to render a PDF file piped to zathura via stdin.

OPTIONS

-e *xid*

Reparents to window specified by *xid*.

-c *path*

Path to the config directory (defaults to `.config/zathura`)

-d *path*

Path to the data directory (defaults to `.local/share/zathura`)

DEFAULT SETTINGS

Shortcuts

J

Go to next page

K

Go to previous page

h

Scroll to the left

k

Scroll upwards

j

Scroll downwards

^f

Scroll page down

^b

Scroll page up

^d

Scroll half a page down

^u

Scroll half a page up

l

Scroll to the right

/ Search forwards
? Search backwards
n Search last keyword forwards
N Search last keyword backwards
Tab Toggle index
o Open a file
a Zoom to fit
s Zoom to width
f Follow a link on the page
m Mark current position and save it in register specified by a character
, Go to saved position specified by the ensuing character
r Rotate the page
R Reload the document
O Change goto mode (L: search labels, D: default, O: manual offset)
^i Recolors the page
i Change to insert mode
v Change to visual mode
: Focus inputbar
Backspace Delete last character in the buffer
F5 Toggle fullscreen mode
^n Toggle statusbar visibility
^m Toggle inputbar visibility
+ Zoom in
- Zoom out
= Zoom to the original size
Esc | **^c** Abort
^q Quit the program

Index commands

k Navigate to one element above the current position
j Navigate to one element below the current position
h Collapse current element
l Expand current element
Space | **Return** Select current element

Buffered commands

- gg** Go to the first page
- GG** Go to the last page
- [0-9]+G** Go to the specified page
- zl** Zoom in
- zO** Zoom out
- z0** Zoom to the original size
- [0-9]+Z** Zoom to the given level
- [0-9]+%** Move to the given position

Commands

- blist** List and open bookmark
- bmark** Bookmark current page
- close** Close current file
- coffset** Set page offset
- delbmark** Delete given bookmark
- export** Export images or attached files
- info** Show information about the document
- map** Map shortcut functions (map <key> <function> <argument> <mode>)
- open** Open a file
- print** Print the document
- quit** Quit the program
- rotate** Rotate the page
- set** Set an option (set <id> <value>)
- write** Save the document

Inputbar shortcuts

- Up** Move up in the command history
- Down** Move down in the command history
- Tab | Shift + Tab** Tab completion
- ^w** Delete last word

CONFIGURATION

The complete configuration including the appearance and shortcuts of the program are defined in a separate file named config.h. In this file you are able to change and adjust all the settings of zathura according to your wishes.

In addition you can create a zathurarc file (default path: ~/.config/zathura/zathurarc) to overwrite settings and keybindings by using the set and map function. For more information please check the faq on the website: <http://pwmt.org/projects/zathura>

Index

[NAME](#)

[SYNOPSIS](#)

[DESCRIPTION](#)

[OPTIONS](#)

[DEFAULT SETTINGS](#)

[Shortcuts](#)

[Index commands](#)

[Buffered commands](#)

[Commands](#)

[Inputbar short cuts](#)

[CONFIGURATION](#)

This document was created by [man2html](#), using the manual pages.

Time: 13:54:38 GMT, July 08, 2011